



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supersedes: 8/19/08

### Section 1 – Identification

<b>Product Name:</b>	U-10 Brake Cleaner
<b>Part Number:</b>	06220, C06220
<b>Chemical Name:</b>	Acetone/ Aliphatic Hydrocarbon mixture
<b>Product Use:</b>	A spray brake cleaner designed to remove oil, grease, brake fluid, brake pad material or dirt from motor vehicle brake mechanisms.
<b>Manufacturer Information:</b>	LPS Laboratories, 4647 Hugh Howell Rd., Tucker, GA, USA 30084
<b>TEL:</b>	1 770-243-8800
<b>Emergency Telephone Number:</b>	1-800-424-9300 Chemtrec; Outside U.S.: (703) 527-3887
<b>FAX:</b>	1 770-243-8899
<b>Website:</b>	<a href="http://www.lpslabs.com">http://www.lpslabs.com</a>

#### PLAIN LANGUAGE HAZARD SUMMARY

Material Safety Data Sheets can be confusing. Federal and State laws require us to include a great deal of technical information that probably won't help the non-professional. LPS includes this "PLAIN LANGUAGE HAZARD SUMMARY" to address the questions and concerns of the average worker. If you have additional health, safety or product questions, don't hesitate to call us at 800/241-8334.

#### Worker Hazards

U-10 Brake Cleaner is a cleaning product designed to remove oil, grease, brake fluid, brake pad material or dirt from motor vehicle brake mechanisms. It contains acetone and aliphatic hydrocarbons that can be irritating to skin. We suggest you wear chemically resistant gloves and avoid extended exposure to unprotected skin. Don't get it in your eyes (it stings), or breath large amounts of the vapor, (it will dry out your nasal passages and if you breathe large amounts in poorly ventilated areas it can make you dizzy and even sick). Don't spray U-10 Brake Cleaner for extended periods without adequate ventilation. If you're going to perform work involving a lot of product in a poorly ventilated area, use of a respirator or even a self-contained breathing apparatus may be necessary. For more exposure and first aid information, refer to MSDS Sections 2, 8 and 11.

#### Flammability

U-10 Brake Cleaner generates a "flame extension" when sprayed into an ignition source (flame, arc, etc.), but it is generally safe to use for most industrial applications. Store product away from heat sources and do not spray near live electrical equipment.

#### Disposal

If you spill U-10 Brake Cleaner notify the proper environmental or safety department at your company right away. If U-10 Brake Cleaner becomes contaminated with another substance and is rendered unusable for cleaning, the resulting mixture will fall under at least one hazardous classification. See section 13 for more details.



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supersedes: 8/19/08

---

### Section 2 – Hazards identification

---

*This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.*

#### Emergency Overview:

**Aerosol:** DANGER: Extremely Flammable. Eye irritant. Vapor harmful. Contents under pressure. Harmful or fatal if swallowed.

**Primary route(s) of entry:** Skin and Eye contact. Inhalation.

#### Potential Acute Health Effects:

**Eyes** Irritating to eyes

**Skin** Repeated exposure may cause skin dryness or cracking.

**Inhalation:** Excessive inhalation of vapors can cause irritation of the respiratory tract, nausea, dizziness or headache.

**Ingestion:** Product has a low order of acute oral toxicity, but ingestion of large quantities may cause nausea, vomiting, and gastrointestinal irritation. May cause injury if aspirated into lungs.

#### Potential Chronic Health Effects:

**Carcinogenic Effects:** NTP: No OSHA: No ACGIH: No

**Mutagenic Effects:** None

**Teratogenic Effects:** None

#### Medical conditions aggravated by exposure:

Persons with pre-existing central nervous system (CNS) disease, neurological conditions, skin disorders, chronic respiratory diseases, or impaired liver or kidney function should avoid exposure.

#### Signs and Symptoms:

Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation, and scaling of the skin (dermatitis). Breathing of high vapor concentrations may cause headaches, stupor, irritation of throat and eyes, and kidney effects.

---

### Section 3 – Composition / Information on Ingredients

---

Component	CASRN	Weight Percent
Acetone	67-64-1	80 - 90%
Methylcyclohexane	108-87-2	5 – 10%
Carbon Dioxide	124-38-9	3 – 7%



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supercedes: 8/19/08

---

### Section 4 – First Aid Measures

---

- Eyes:** Check for and remove contact lenses. If irritation or redness develops, flush eyes with cool, clean, low-pressure water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. Do not use eye ointment. Seek medical attention immediately.
- Skin:** Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. Do not use ointments. Seek medical attention if irritation persists.
- Inhalation:** Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.
- Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. Do not leave victim unattended. Seek medical attention immediately.

---

### Section 5 – Fire Fighting Measures

---

**Products of Combustion:** Carbon monoxide and carbon dioxide.

**Firefighting media:** SMALL FIRE: Use DRY chemical powder.  
LARGE FIRE: Use water spray, fog or foam. Cool containing vessels with water jet in order to prevent pressure build-up, auto ignition or explosions.

**Sensitivity to Impact:** None. **Sensitivity to Static Discharge:** None.

**Protection Clothing (Fire):** Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. Evacuate area and fight the fire from a maximum distance or use unmanned hose holders or monitor nozzles.

**Special Remarks on Explosion Hazards:** High heat will cause product to boil, evolving vapor that could cause explosive rupture of closed containers. Aerosols may explode upon heating, spread fire and overcome sprinkler systems.

---

### Section 6 – Accidental Release Measures

---

- Containment Procedures** Contain and recover spilled liquid when possible.
- Clean-Up Procedures**
- Small Spill and Leak:** Eliminate ignition sources. Absorb with an inert material and dispose of properly.
- Large Spill and Leak:** Eliminate ignition sources. Secure the area and control access. Dike far ahead of a liquid spill to ensure complete collection. Pick up free liquid for disposal using absorbent pads, sand, or other inert non-combustible absorbent materials. Place into appropriate waste containers for later disposal.
- Evacuation Procedures** Ventilate area of leak or spill. Keep unnecessary and unprotected people away.
- Special Procedures** Remove all sources of ignition. Ventilate area. Wear appropriate protective equipment during cleanup.



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supersedes: 8/19/08

### Section 7 – Handling and Storage

**Handling:** DO NOT spray into or around ignition sources. Do not allow material to come into contact with eyes or skin. Wear appropriate protective equipment during handling. Do not breathe vapors or mists. Use only with adequate ventilation. Wash thoroughly after handling.

**Storage:** Keep container in a cool, well-ventilated area. Avoid all sources of ignition (spark or flame). Store below 120°F.

**Precautions to be taken in handling and storage:** Store aerosols as Level 2 Aerosol (NFPA 30B). Store all materials in dry, well-ventilated area. Avoid breathing vapors.

### Section 8 – Exposure Controls / Personal Protection

**Exposure Guidelines:**

Component	CASRN	OSHA TWA-PEL	OSHA STEL	ACGIH-TLV	ACGIH-STEEL	NIOSH REL
Acetone	67-64-1	1000 ppm	Not Established	500 ppm	750 ppm	250 ppm TWA
Methylcyclohexane	108-87-2	500 ppm	Not Established	400 ppm	Not Established	400 ppm TWA
Carbon Dioxide	124-38-9	5000 ppm	30000 ppm	5000 ppm	30000 ppm	5000 ppm TWA 30000 ppm STEL

\* Supplier Recommendation

**Engineering measures** Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines listed above.

**Personal protective equipment**

**Eye protection** Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are recommended.

**Hand protection** Normally no hand protection is required; however, if product will be sprayed for an extended period, “overspray” onto skin may occur. If so, use chemical resistant gloves (i.e., neoprene, rubber latex, or butyl glove) conforming to appropriate regulations. Please observe the instructions regarding permeability and breakthrough time that are provided by the supplier of the gloves.

**Respiratory protection** Typical use of this product under normal conditions does not require the use of respiratory protection. If airborne concentrations are above the applicable exposure limits (listed above), use NIOSH approved respiratory protection (i.e., organic vapor cartridge).

**General Hygiene Considerations** Wash thoroughly after handling. Have eye-wash facilities immediately available.



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supersedes: 8/19/08

### Section 9 – Physical and Chemical Properties

<b>Appearance:</b>	Liquid.	<b>Color:</b>	Colorless/water-white
<b>Odor/Taste:</b>	Ether-like/Fruity	<b>Vapor Pressure:</b>	1.98 mmHg
<b>Solubility Description:</b>	Soluble	<b>Evaporation Rate:</b>	< 1 (BuAc=1)
<b>Boiling Point:</b>	56°C(133°F)	<b>Flash Point:</b>	-20 °C( -4 °F)
<b>Specific Gravity (Water=1):</b>	0.75-0.77 at 20 °C	<b>Flash Point Method:</b>	Tag-Closed Cup.
<b>Vapor Density (Air=1):</b>	>2	<b>Auto Ignition Temperature:</b>	465 °C (869 °F)
<b>V.O.C. Content:</b>	9.4% per CARB/OTC	<b>Partition Coefficient (octanol/water):</b>	>1
<b>Flammable limits (estimated):</b>	LOWER: 2.6% UPPER: 12.8%	<b>Viscosity:</b>	< 3 mm <sup>2</sup> /sec
<b>pH:</b>	Not applicable	<b>Odor threshold</b>	Not Established
<b>Melting Point</b>	Not Established	<b>Volatiles:</b>	100%
<b>Decomposition Temperature</b>	Not Established		

### Section 10 – Chemical Stability and Reactivity

<b>Chemical Stability:</b>	Product is stable under recommended storage conditions.
<b>Conditions to Avoid:</b>	Keep away from heat and ignition sources.
<b>Incompatibility:</b>	Reactive or incompatible with oxidizing agents.
<b>Hazardous Decomposition:</b>	These products are carbon oxides (CO, CO <sub>2</sub> ).
<b>Hazardous Polymerization:</b>	Will not occur.

### Section 11 – Toxicological Information

#### A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this preparation.

#### B: Component Analysis

Component	CASRN	LC-50	LD-50
Acetone	67-64-1	16000 ppm/rat/4H*	5800 mg/kg/oral/rat* 20000 mg/kg/dermal/rat*
Methylcyclohexane	108-87-2	15227 ppm/rabbit/1H	> 3200 mg/kg/oral/rat >86700 mg/kg/dermal/rabbit**
Carbon Dioxide	124-38-9	470000 ppm/rat/30min	Not Established

\* Supplier Data

\*\*RTECS LD<sub>50</sub> not reported, this is a Lethal Dose (LD) value.



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supercedes: 8/19/08

### Section 12 – Ecological Information

**Mobility:** Volatile. May partially absorb to sediment.      **Persistence and degradability:** Partially biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential      **Other adverse effects:** None known.

**Ecotoxicology:**

Effect on Organisms	Component	CASRN	Test	Species	Results
Acute Toxicity on Fishes	Acetone	67-64-1	96-hour LC <sub>50</sub>	Alburnus alburnus	11000 mg/L
Acute Toxicity on Daphnia	Acetone	67-64-1	48-hour EC <sub>50</sub>	Daphnia magna	12700 mg/L
	Methylcyclohexane	108-87-2	48-hour EC <sub>50</sub>	Daphnia magna	15 mmol/m <sup>3</sup>
Bacterial inhibition	No Data Available				
Growth inhibition of algae					
Bioaccumulation in fish					

### Section 13 – Disposal Considerations

**Waste Status:** Aerosol products, if depressurized and emptied to less than 2.5 cm of fluid contents are classified as non-hazardous waste under 40 CFR 261.7 (U.S.). If disposed of in its received form, this item carries waste code D001 and D003. (U.S.)

**Disposal:** Waste must be disposed of in accordance with national, regional, provincial, and local environmental control regulations.

**Note:** Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supersedes: 8/19/08

### Section 14 – Transportation Information

D.O.T. Ground	<b>Shipping Name:</b>	Consumer Commodity	<b>UN Number:</b>	NA
	<b>Hazard Class:</b>	ORM-D	<b>Technical Name:</b>	NA
	<b>Subclass:</b>	NA	<b>Hazard Label:</b>	ORM-D Already on box
Road/Rail - ADR/RID :	<b>UN no:</b>	1950	<b>ADR Class:</b>	2.1
	<b>Packing group:</b>	NA	<b>Classification code:</b>	5F
	<b>Name and Description:</b>	AEROSOLS, Flammable	<b>Hazard ID no:</b>	NA
	<b>Labeling:</b>	2.1		
IMDG-IMO	<b>UN no:</b>	1950	<b>Class:</b>	2.1
	<b>Shipping Name:</b>	AEROSOLS	<b>Subsidiary Risk:</b>	NA
	<b>Packing Instructions:</b>	NA	<b>Packing group:</b>	NA
	<b>Marine pollutant:</b>	NO	<b>EmS:</b>	F-D, S-U
IATA-ICAO:	<b>UN no:</b>	1950	<b>Class:</b>	2.1
	<b>Shipping Name:</b>	AEROSOLS, Flammable	<b>Subclass</b>	NA
	<b>Packing instructions:</b>	203, Y203 (Ltd. Qty.)	<b>Packing group:</b>	NA
	<b>Labeling:</b>	Flammable Gas		

### Section 15 – Regulatory Information

#### U.S. Federal Regulations

RCRA Hazardous Waste No.: D001, D003 (aerosols only)

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): Acetone 67-64-1 5000 lbs.

#### Toxic Substances Control Act (TSCA):

All components of this product are TSCA inventory listed and/or are exempt.

#### Superfund Amendments and Reauthorization Act (SARA) Title III

##### SARA Section 311/312 (40 CFR 370) Hazard Categories:

Sudden Release of Pressure (aerosols only), Fire Hazard, Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard

**This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):** No individual section 313 component is present at or above 1%

**Section 112 Hazardous Air Pollutants (HAPs):** None



# MATERIAL SAFETY DATA SHEET

## U-10 Brake Cleaner

Revision: 2

Revision Date: 11/25/08

Supercedes: 8/19/08

### State Regulations

#### New Jersey RTK:

Acetone 67-64-1 • Methylcyclohexane 108-87-2 • Carbon Dioxide 124-38-9 • p-Amyl Acetate 628-63-7 • 1, 2-dimethylcyclopentane 2452-99-5

**California:** This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or reproductive harm.

**California and OTC States:** This product conforms to consumer regulations.

### International Regulations

**Canadian Environmental Protection Act:** All of the components of this product are included on the Canadian Domestic Substances list (DSL).

#### Canadian Workplace Hazardous Materials Information System (WHMIS):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**WHMIS Classification:** Aerosol  
Class A, Class B5, Class D2B



#### Other Regulations

Montreal Protocol listed ingredients: None.  
Stockholm Convention listed ingredients: None.  
Rotterdam Convention listed ingredients: None.  
RoHS Compliant: Yes.

### Section 16 • Other Information

MSDS# 16220 Responsible Name: Clea Johnson Regulatory Affairs Coordinator	HMIS 1996		HMIS III		<b>NFPA</b> Flammability  Health      1      3      0      Reactivity
	Health:	1	Health:	[/]1	
	Flammability:	3	Flammability:	3	
	Reactivity	0	Physical Hazard:	2	

#### Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Clea Johnson, Regulatory Affairs Coordinator  
LPS Laboratories, A division of Illinois Tool Works